



WELCOME INTO THE WORLD OF MECHANISM

**Making customize machineries is our
passion,
SHARE YOUR IDEAS WILL CONVERT INTO**

SHRI SWASTIK GROUP OF COMPANIES

HIROBA[®]




SHRI SWASTIK MAC-TECH (II) PVT LTD
55 & 54 SARASWATI NAGAR, MADHUPUR BARIKANKAN, CHENNAI - 600 010



- **SHRI SWASTIK GROUP OF COMPANIES** is a leading manufacturing company in India its located in south part of India, Chennai (Tamil Nadu) the company is famous for their quality and prompting we provide optimal solutions of packaging machineries without any compromise in quality.
- We are huge manufacturer of packaging Machineries, specialize in High performance BOPP Slitting machines, BOPP coating plants, stretch film 2-layer and 3-layer 1000 mm and 1500 mm machines corrugated sheet cutting machines, semi and fully automatic shrink-packaging machine shrink tunnels PVC insulation tape adhesive coating plants, PVC tape slitting machines of all sizes. Fully automatic tape slicer with single shaft double shaft four shafts and eight shafts, shri swastik mac-tech India Pvt Ltd is only company in India who provide one-year complete guarantee of all the machines.





HIROBA[®]



3 – Layer Stretch Film Making Machine

**HIROBA-
Lø65/90/x1850**

- Automatic hidden
- Automatic cutting and roll change
- Automatic paper core unloading
- Loading system which ensure the film quality.
- Tighter and more even roll winding
- Total power consumption 75KW.



3 – Layer Stretch Film Making Machine

► Specifications

| | |
|------------------------|------------------------------|
| Model | HIROBA- Lø65/90/x1850 |
| Screw Diameter | ø065/90mm |
| Screw L/D | 30:1- |
| Screw Speed | 50-150rpm |
| Width | 1500mm/3x500mm |
| Total power | 110KW |
| Thickness | 0.012-0.05mm |
| Capacity | 150-220kg/h |
| Layer Structure | ABC/ACBCA |
| Total Weight | 12T |
| Dimension (mm) | (L)11000x(W)3500x(H)3800 |

- The cast stretch film production machine group has high plasticizing, easy operation, long life, energy saving features. It is mainly for the production of LLDPE film, LDPE film, PE film, CPE film and CEVA film.
- It adopts the advance intelligent industrial controlling system.

2 – Layer Stretch Film Making Machine

**HIROBA-
Lø65/90/x1850**



**making customize machineries is our passion
SHARE YOUR IDEAS WILL CONVERT INTO MACHINE.**


► Specifications

| | |
|------------------------|-----------------------------|
| Model | HIROBA- Lø55/75x1250 |
| Screw Diameter | ø055/75mm |
| Screw L/D | 30:1- |
| Screw Speed | 50-150rpm |
| Width | 1000mm/2x500mm |
| Total power | 75KW |
| Thickness | 0.012-0.05mm |
| Capacity | 80- 150kg/h |
| Layer Structure | AB/ABA |
| Total Weight | 8T |
| Dimension (mm) | (L)7500x(W)3000x(H)3400 |

- The design ensures the film quality
 - Enhance the production efficiency
 - Lower down production cost
 - The evenness and appearance of the film rolls make the product more competitive.
 - Total power consumption 75KW.
-
- The cast stretch film production machine group has high plasticizing, easy operation, long life, energy saving features. It is mainly for the production of LLDPE film, LDPE film, PE film, CPE film and CEVA film.

It adopts advanced torque motor with four axis automatic tension control which can adjust the speed and width of the film freely.

2 – Layer Stretch Film Making Machine




PVC Insulation Tape Coating Machine

HIROBA[®]



PVC Insulation Tape Coating Machine

► Specifications



► Details :

Machine is mainly composed of coating and base material feed unit, the traction unit, coating unit, oven and hot air systems, cooling device, winding unit, electrical control and relevant control instrument, etc.

| Model | HIROBA- Lø55/75x1350 |
|--------------------------|--|
| width | 1350mm |
| maximum speed | 60m/min |
| Maximum working speed | 0-40m/min |
| paper core specification | 3" (inner diameterΦ76mm) |
| Power | 3 phase 5 wire, 50 HZ, 380 v ± 10% Air |
| Pressure | 0.8Mpa |
| Electric heating power | 36 kw |
| Tension range | 3-30kg |
| Total Weight | 3500kg |
| Material maximum width | 1300mm |

Pvc Tape Slicer Machine

HIROBA[®]

► Specifications

| Machine Model | Manual cutting machine |
|--------------------------|------------------------|
| Model | Hiroba |
| Capacity | 45 strock/ minute |
| Production Capacity | 50 BOX / DAY |
| Automation Grade | Semi-Automatic |
| Min. Slitting Width (mm) | 5MM |
| Power Supply | 5 HP |
| Phase | 3 PHASE |
| Main Drive Motor | ABB MAKE |
| Voltage | 320-420 V |
| Paper Core Thickness | 4MM |






Bopp Tape Coating

Machine

Bopp Tape Coating Machine



► Details :

The machine group is a cast stretch film production machine group with high plasticizing, easy operation, long life, energy saving features and it is modified and designed based on the years' experience on the cast equipment manufacturing and the production experience from the customers, combined with the advanced technology from oversea, The machine group is mainly for the production of LLDPE film, LDPE film, PE film, CPE film and CEVA film etc; it adopts advanced intelligent industrial controlling system.

► Specifications

| | |
|--------------------|---|
| Working Speed | 50 M/min to 250 m/min |
| Max. Web width | 20" TO 80" (500 mm TO 2050 mm) |
| Unwind Roll Dai. | 1000 mm (40") |
| Rewind Roll Dai. | 600 / 800 /1000 approx mm |
| Drying Section | Multi-zone arch type |
| Heat Source | Electrical / Hot Air |
| Coating Section | Gravure / Reverse Roll/ Boor system/Air knife |
| Laminating Section | Chilling / Heating Roller with Pneumatic Nip Roll |
| Drive | Variable Speed: DC/AC |
| Unwind / Rewind | Simplex / Duplex/ Surface |



288 mm 2 Color 4 shaft Bopp Tape Printing Machine

► Specifications

| Model | HIROBA-1 |
|-----------------------------|-------------------------------|
| Printing color | 2 colors |
| Applicable tape width | 30-350mm |
| Plate size | 350*251mm |
| Printing area | 350*250mm |
| Printing speed | 50-100m/min |
| Max diameter of tape roll | As your required |
| Thickness of printing plate | 0.95mm |
| Plate | Letterpress |
| Ink | UV ink |
| Type of roller | Ceramic Anilox roller |
| Numbers of rewinding shaft | 4 shafts change automatically |
| Weight of machine | 550kg |
| Total power | 380V/4.7KW |
| Overall dimension | 2050*1150*1420MM |






► **Details :**

Swastik groups of company well known for there quality products and prompt delivery , we are glad to introduce first time in India 288 mm adhesive coated Bopp tape printing machine which can turn your business into huge profitable business
Its reduce printing cost because of its an stereo printing method machine specialty of this machine is its make printing and slitting at the time.

HIROBA[®]

Shrink Packing Machine






► Specifications

- Up and down magnetic switch prevent sealing mistakes, and protect the operators.
- The input position is adjustable, based on the size of products packaged.
- 'Delta' PLC, 'Hindustan' AC motor L and T contractor, and Intelligent select PID temperature controller performs stable for shrink Tunnel.
- Large power AC/PMDC conveyor motor, with step less speed regulating, ensures smooth feeding.
- Up and down large power fan system ensures the excellent effect of shrinking in one time.
- Super cooling system cools the packing and makes the figuration perfectly.
- The size of web sealer and tunnel can be customized as your request.

► Details :

Shrink packaging machines enable the **shrink wrap** of products by tightening a thermoplastic film around the product and **shrinking** it by heat. The process adds strength to the stack or pallet and makes it waterproof and dust proof. These **machines** have automatic temperature control for convenient operation and **packing**.

Automatic Web Sealers and Tunnels -sleeve wrapper is suitable for wrapping pop-cans, bottles, etc., both with bottom-tray and without bottom-tray, working with WS-5038 or other PE/ PVC/LD shrink tunnels. The machine adopts the Indian advanced technology and Royal Pack brands, which makes capability stable and using long-time.



500mm Boop Tape Slitting Machine

HIROBA[®]

Specifications

| | |
|----------------------------|---------------------------|
| Machine Model | HIROBA - 500mm |
| Frequency | 50-60 Hz |
| Voltage | 380-420 V |
| Phase | Three Phase |
| Power Source | Electric |
| Brand | Hiroba Machines |
| Size Of Machine | 300 to 1350 mm |
| Web Width | Up to 500 mm |
| Material | Mild Steel |
| Unwind Diameter | Up to 1000 mm |
| Rewind Diameter | Up to 500 mm |
| Rewinding Type | Duplex Center Cum Surface |
| Min Slitting Width | 50 mm |
| Machine Speed | 150 m/min |
| Power HP | Up to 2 |
| Rewind Core Inner Diameter | Up to 3 Inch |



Details :

We manufacture, exports & supplies BOPP Tape Cutting Machine with high quality to meet client's requirement. Our machines are designed with wide range of quality for long-lasting heavy-duty process, especially for cutting in different sizes from 12 mm to 1000 mm. Heavy duty and high-quality BOPP Cutting Machine, BOPP Adhesive Slitting Machine. We are the Suppliers of Superior Quality Bopp Tape Slitting Line 288mm, 500mm, 1000mm, 1315mm, 1600mm, 2000mm. These Tapes Are Well Suited for Sealing Applications of Sealing Paper S, Arts and Crafts, Gift Wraps, Envelopes, Repairing Torn Paper, Etc.

1000mm Bopp Tape Slitting Machine



HIROBA[®]

► Specifications

| Machine Model | HIROBA - 500mm |
|----------------------------|---------------------------|
| Frequency | 50-60 Hz |
| Voltage | 380-420 V |
| Phase | Three Phase |
| Power Source | Electric |
| Brand | Hiroba Machines |
| Size Of Machine | 300 to 1350 mm |
| Web Width | 600 mm to 1350 mm |
| Material | Mild Steel |
| Unwind Diameter | Up to 1000 mm |
| Rewind Diameter | Up to 500 mm |
| Rewinding Type | Duplex Center Cum Surface |
| Min Slitting Width | 50 mm |
| Machine Speed | 150 m/min |
| Power HP | Up to 2 |
| Rewind Core Inner Diameter | Up to 3 Inch |

► Details :

We manufacture, exports & supplies BOPP Tape Cutting Machine with high quality to meet client's requirement. Our machines are designed with wide range of quality for long-lasting heavy-duty process, especially for cutting in different sizes from 12 mm to 1000 mm. Heavy duty and high-quality BOPP Cutting Machine, BOPP Adhesive Slitting Machine. We are the Suppliers of Superior Quality Bopp Tape Slitting Line 288mm, 500mm, 1000mm, 1315mm, 1600mm, 2000mm. These Tapes Are Well Suited for Sealing Applications of Sealing Paper S, Arts and Crafts, Gift Wraps, Envelopes, Repairing Torn Paper, Etc.

1600mm BOPP TAPE SLITTING & REWINDING MACHINE

► Specifications

| Machine Model | HIROBA - 1600mm |
|----------------------------|---------------------------|
| Frequency | 50-60 Hz |
| Voltage | 380-420 V |
| Phase | Three Phase |
| Power Source | Electric |
| Brand | Hiroba Machines |
| Size Of Machine | 300 to 1350 mm |
| Web Width | 600 mm to 1350 mm |
| Material | Mild Steel |
| Unwind Diameter | Up to 1000 mm |
| Rewind Diameter | Up to 500 mm |
| Rewinding Type | Duplex Center Cum Surface |
| Min Slitting Width | 50 mm |
| Machine Speed | 150 m/min |
| Power HP | Up to 2 |
| Rewind Core Inner Diameter | Up to 3 Inch |

HIROBA[®]



- Slitting Width: 1.3m, Also Suitable 1000mm Width Jumbo Roll.1315mm
- Max Diameter of Material: Dia 800mm
- Max Rewinding Diameter For 4 Shaft Exchange: Dia 150mm
- Min, Cutting Diameter: 12mm
- Machine Speed: 0 To 180m/Min

► Details :

We manufacture, exports & supplies BOPP Tape Cutting Machine with high quality to meet client's requirement. Our machines are designed with wide range of quality for long-lasting heavy-duty process, especially for cutting in different sizes from 12 mm to 1000 mm. Heavy duty and high-quality BOPP Cutting Machine, BOPP Adhesive Slitting Machine. We are the Suppliers of Superior Quality Bopp Tape Slitting Line 288mm, 500mm, 1000mm, 1315mm, 1600mm, 2000mm. These Tapes Are Well Suited for Sealing Applications of Sealing Paper S, Arts and Crafts, Gift Wraps, Envelopes, Repairing Torn Paper, Etc.

HIROBA[®]



► **Details :**

We manufacture, exports & supplies BOPP Tape Cutting Machine with high quality to meet client's requirement. Our machines are designed with wide range of quality for long-lasting heavy-duty process, especially for cutting in different sizes from 12 mm to 1000 mm. Heavy duty and high-quality BOPP Cutting Machine, BOPP Adhesive Slitting Machine. We are the Suppliers of Superior Quality Bopp Tape Slitting Line 288mm, 500mm, 1000mm, 1315mm, 1600mm, 2000mm. These Tapes Are Well Suited for Sealing Applications of Sealing Paper S, Arts and Crafts, Gift Wraps, Envelopes, Repairing Torn Paper, Etc.

1315mm Bopp Tape Slitting Machine

► **Specifications**

| | |
|----------------------------|---------------------------|
| Machine Model | HIROBA - 500mm |
| Frequency | 50-60 Hz |
| Voltage | 380-420 V |
| Phase | Three Phase |
| Power Source | Electric |
| Brand | Hiroba Machines |
| Size Of Machine | 300 to 1350 mm |
| Web Width | 600 mm to 1350 mm |
| Material | Mild Steel |
| Unwind Diameter | Up to 1000 mm |
| Rewind Diameter | Up to 500 mm |
| Rewinding Type | Duplex Center Cum Surface |
| Min Slitting Width | 50 mm |
| Machine Speed | 150 m/min |
| Power HP | Up to 2 |
| Rewind Core Inner Diameter | Up to 3 Inch |

2000mm Bopp Tape Slitting Machine

► Specifications

| | |
|----------------------------|---------------------------|
| Machine Model | HIROBA - 500mm |
| Frequency | 50-60 Hz |
| Voltage | 380-420 V |
| Phase | Three Phase |
| Power Source | Electric |
| Brand | Hiroba Machines |
| Size Of Machine | 300 to 1350 mm |
| Web Width | 600 mm to 1350 mm |
| Material | Mild Steel |
| Unwind Diameter | Up to 1000 mm |
| Rewind Diameter | Up to 500 mm |
| Rewinding Type | Duplex Center Cum Surface |
| Min Slitting Width | 50 mm |
| Machine Speed | 150 m/min |
| Power HP | Up to 2 |
| Rewind Core Inner Diameter | Up to 3 Inch |



► Details :

We manufacture, exports & supplies BOPP Tape Cutting Machine with high quality to meet client's requirement. Our machines are designed with wide range of quality for long-lasting heavy-duty process, especially for cutting in different sizes from 12 mm to 1000 mm. Heavy duty and high-quality BOPP Cutting Machine, BOPP Adhesive Slitting Machine. We are the Suppliers of Superior Quality Bopp Tape Slitting Line 288mm, 500mm, 1000mm, 1315mm, 1600mm, 2000mm. These Tapes Are Well Suited for Sealing Applications of Sealing Paper S, Arts and Crafts, Gift Wraps, Envelopes, Repairing Torn Paper, Etc.



► Details :

We are an eminent entity engaged in offering an extensive range of excellently designed **Masking Tape Slitter Rewinding Machine**. Our offered tape slitter rewinding machine is used in medicines, pharmaceuticals and other such industries. Robust design, high performance, low maintenance and hassle-free functioning are features of offered slitter rewinding machine. Our esteemed clients can avail this **Masking Tape Slitter Rewinding Machine** at reasonable rates. This slitter rewinding machine is rigorously checked on defined quality parameters to ensure their high performance at users end

2 – Shaft 1600mm Masking Tape Slitting & Rewinding Machine

► Specifications

- Unwinder: Air Shaft For 76mm Core
- Types of Slitting: Razor in Groove / Circular Rotary Slitting System
- One Full Width Capacity Grooved Roller
- Nip Unit: One Full Width Capacity Hard Chrome Plated Steel Roller
- One Full Width Capacity Rubber Roller
- Pressure Is Applied from The Operation Side of The Machine
- Type Of Rewinding: Turret Type Winding for Quick Change Over of Rolls

4 – shaft Masking Tape Slitting & Rewinding Machine

► Specifications

- PVC Tape
- Straight blade feeding
- Manually pushing the blade to cut the tape.
- Use a hexagonal shaft for making the SIX cutting size.
- This shaft is under the blade supporter. It has a fixed size on every side of this shaft.
- Working width –1300mm
- Cutting system – Rotary high-speed cutter
- Cutting roll diameter – 80mm
- Core diameter – 38mm

HIROBA[®]



**1600mm MASKING TAPE REWINDING MACHINE****► Specifications**

- **PVC Tape**
- **Straight blade feeding**
- **Manually pushing the blade to cut the tape.**
- **Use a hexagonal shaft for making the SIX cutting size.**
- **This shaft is under the blade supporter. It has a fixed size on every side of this shaft.**
- **Working width –1300mm**
- **Cutting system – Rotary high-speed cutter**
- **Cutting roll diameter – 80mm**
- **Core diameter – 38mm**
- **Cutting dividing from single rack on machine one cutting rake part of standard machine equipment (Extra rake optional)**
- **Manual Cutting system**

1600mm MASKING TAPE REWINDING MACHINE

- Control box –Made from CRC Sheet & MS angle section
- Slide travel on bearing
- Core gripping by internal diameter / outer diameter
- Cutting Measuring by slide stopper
- 1HP AC motor
- Reversing switch

► Details :


We manufacture PVC Tape Slicer Machine equipping with advanced controls and innovative structure design the machine meets the variable requirements of clients from diverse industries. The machine is designed for long-lasting heavy-duty process, particularly for cutting in different sizes. The machine is tested for efficiency.

2 – Shaft Tape Slicer Machine

► Specifications

- PVC Tape
- Straight blade feeding
- Manually pushing the blade to cut the tape.
- Use a hexagonal shaft for making the SIX cutting size.
- This shaft is under the blade supporter. It has a fixed size on every side of this shaft.
- Working width –1300mm
- Cutting system – Rotary high-speed cutter
- Cutting roll diameter – 80mm
- Core diameter – 38mm



**► Specifications**

- PVC Tape
- Straight blade feeding
- Manually pushing the blade to cut the tape.
- Use a hexagonal shaft for making the SIX cutting size.
- This shaft is under the blade supporter. It has a fixed size on every side of this shaft.
- Working width – 1300mm
- Cutting system – Rotary high-speed cutter
- Cutting roll diameter – 80mm
- Core diameter – 38mm

4 – Shaft Masking Tape Slicer Machine

- Cutting dividing from single rack on machine one cutting rake part of standard machine equipment (Extra rake optional)
- Manual Cutting system
- Control box –Made from CRC Sheet & MS angle section
- Slide travel on bearing
- Core gripping by internal diameter / outer diameter
- Cutting Measuring by slide stopper
- 1HP AC motor
- Reversing switch

► Details :

We manufacture PVC Tape Slicer Machine equipping with advanced controls and innovative structure design the machine meets the variable requirements of clients from diverse industries. The machine is designed for long-lasting heavy-duty process, particularly for cutting in different sizes. The machine is tested for efficiency.

500 Semi-Automatic Stretch Film Slitter and Rewinder

► Specifications

| | |
|---|-----------------------|
| Model | HIROBA- 500 |
| Width of parent roll | 300-500mm |
| Main motor power | 5 hp |
| Small motor power -2 | 0.7 KW/1 hp /.75hp |
| Mechanical Linear speed(max) | 200-600m/min |
| Stretch film loading mode | By manual |
| Paper core specification of mother roll | 3" |
| Paper core specification of sub-roll | 3" , 2" , 1.5" |
| Overall dimension (L x W x H) | 1.5 M x 1.2 M x 1.4 M |
| Weight | 800-850 kg |



► Details :

- This Machine is safe and easy to operate, it's make the winding material more even and solid the anti-puncture is better after contact with air.
- The unit is suitable for stretch film, wrapping film, casting film and preservative film to rewind.
- Semi-automation: this is semi-auto machine. It can count the meter automatically.
- Multi-function: the machine combine rewind and slitter together.
- The machine is easy to operate, flexible to adjust, small noise, is a ideal cost performance one.
- The Unit can counter the meter and stop at right time automatically.
- The unit can rewind / slitter stretch film and cling film.

1000mm PE Stretch Film Slitting & Rewinding Machine



► Specifications

| | |
|-----------------------------------|--------------------|
| Model | HIROBA -1000mm |
| Width of parent roll | 300-500mm |
| Main Motor Power | 2.2 KW |
| Move around motor power | 0.37KW |
| Roll type | Artificial Roll |
| Liner speed of machinery | 200-1000m/min |
| Core specification of parent roll | 3" |
| Core specification of sub-roll | 3", 2", 30mm |
| Dimension | L1.4x W1.0 x H1.1m |
| Weight(kg) | 580 |

► Details :

- This Machine is safe and easy to operate, it's make the winding material more even and solid. And the anti-puncture is better after contact with air.
- The unit is suitable for stretch film, wrapping film, casting film and preservative film to rewind.
- Semi-automation: this is semi-auto machine. It can count the meter automatically.
- Multi-function: the machine combine rewind and slitter together.
- The machine is easy to operate, flexible to adjust, small noise, is a ideal cost performance one.
- The unit adopts flat bell transmission leak, reduce the production of secondary membrane over-stretching.
- The Unit can counter the meter and stop at right time automatically.
- The unit can rewind / slitter stretch film and cling film.

1500mm PE Stretch Film Slitting & Rewinding Machine

► Specifications

| | |
|-----------------------------------|--------------------|
| Model | HIROBA -1000 |
| Width of parent roll | 300-500mm |
| Main Motor Power | 2.2 KW |
| Move around motor power | 0.37KW |
| Roll type | Artificial Roll |
| Liner speed of machinery | 200-1000m/min |
| Core specification of parent roll | 3" |
| Core specification of sub-roll | 3" , 2" , 30mm |
| Dimension | L1.4x W1.0 x H1.1m |
| Weight(kg) | 580 |



► Details :

- This Machine is safe and easy to operate, it's make the winding material more even and solid. And the anti-puncture is better after contact with air.
- The unit is suitable for stretch film, wrapping film, casting film and preservative film to rewind.
- Semi-automation: this is semi-auto machine. It can count the meter automatically.
- Multi-function: the machine combine rewind and slitter together.
- The machine is easy to operate, flexible to adjust, small noise, is a ideal cost performance one.
- The unit adopts flat bell transmission leak, reduce the production of secondary membrane over-stretching.
- The Unit can counter the meter and stop at right time automatically.
- The unit can rewind / slitter stretch film and cling film.

HIROBA ^R

2000mm PE Stretch Film Slitting & Rewinding Machine



► Specifications

| | |
|-----------------------------------|--------------------|
| Model | HIROBA -2000mm |
| Width of parent roll | 300-500mm |
| Main Motor Power | 2.2 KW |
| Move around motor power | 0.37KW |
| Roll type | Artificial Roll |
| Liner speed of machinery | 200-1000m/min |
| Core specification of parent roll | 3" |
| Core specification of sub-roll | 3", 2", 30mm |
| Dimension | L1.4x W1.0 x H1.1m |
| Weight(kg) | 580 |

► Details :

- This Machine is safe and easy to operate, it's make the winding material more even and solid. And the anti-puncture is better after contact with air.
- The unit is suitable for stretch film, wrapping film, casting film and preservative film to rewind.
- Semi-automation: this is semi-auto machine. It can count the meter automatically.
- Multi-function: the machine combine rewind and slitter together.
- The machine is easy to operate, flexible to adjust, small noise, is a ideal cost performance one.
- The unit adopts flat bell transmission leak, reduce the production of secondary membrane over-stretching.
- The Unit can counter the meter and stop at right time automatically.
- The unit can rewind / slitter stretch film and cling film.

500mm Automatic paper core cutting machine

HIROBA®

► Specifications

| | |
|----------------------|----------------|
| Machine Model | HIROBA - 500mm |
| Max. cutting width | 500mm |
| Min. cutting width | 12mm |
| I.D. Of paper core | 76.2mm |
| Paper core thickness | Max. 5mm |
| Rewinding speed | 5kg/cm |

► Details :

- It adopts circular blade cutting width cylinder auto knife feeding and auto unloading. Cylinder movement is controlled by the valve and equipped with precise aluminum mold to ensure efficiency and product quality.





500mm pedal Type paper core cutting machine

► Specifications

| | |
|--------------------|----------------------------|
| Material | paper core cutting machine |
| Base Plate | Iron |
| Automation Grade | Automatic |
| Display Type | LCD |
| Weight | 600 kg |
| Power | 5 hp |
| Color | standard |
| Usage/Application | paper core cutting |
| Machine Blade Size | 4 inch |
| Max. Cutting Depth | 3 inch |
| Warranty | 1 year |

► Details :

- The machine is used for cutting long paper tube into short ones accurately. - This machine can be used for very thick wall tube.(up to 20mm) - This machine can be used for very small diameter tube. (diameter can be lower to 20mm) - Paper tube loading and unloading automatically. - The working process is controlled by PLC and servo system. - The machine can be calibrated automatically according to the tube length.

500mm pneumatic paper core cutting machine

HIROBA®


► Specifications

| | |
|-------------------------|------------------------------|
| Machine Model | HJ-1500 |
| Machine Shaft Length | 1500mm |
| Standard Knife Quantity | 5 sets or customized |
| Core Shaft Diameter | 3"/2"/1.5"/1", or customized |
| Cutting Length | 1-1500mm |
| Tube Load Mode | Manual & Pneumatic Unload |
| Dimensions | 2500*520*1000mm |
| Power Supply | 380V/220V |



► Details :

- HJ-500 Easy Operation Semi Automatic Pneumatic Multi Cutters Paper Tube Core Pipe Cutting Machine Use Multi Set Cutter Rotary Knives. Can Cut Different Diameter **Paper Tube** and **Plastic Tube** Machine is Electric, Movement is controlled by air.



► **Specifications**

| Machine Model | Manual cutting machine |
|--------------------------|------------------------|
| Model | ACC10 |
| Capacity | 45 strock/ minute |
| Production Capacity | 50 BOX / DAY |
| Automation Grade | Semi-Automatic |
| Min. Slitting Width (mm) | 5MM |
| Power Supply | 5 HP |
| Phase | 3 PHASE |
| Main Drive Motor | ABB MAKE |
| Voltage | 320-420 V |
| Paper Core Thickness | 4MM |

► **Details :**

- Adhesive Tape Making Machine Is Mostly Use In Tape Industry. We Are Offering Different Model In Every Machine Like Manual, Semi Automatic & Fully Automatic Machine.

► **Features:**

- **Optimum performance**
- **Energy efficient**
- **Smooth operation**

1000mm Automatic core cutting machine

► Specifications

| | |
|----------------------------|-----------------------------|
| Machine Model | HIROBA - 1000mm |
| Voltage | 220/415 V |
| Motor Power | 1/2 HP |
| Frequency | 50-60 Hz |
| Brand | Hiroba Machines |
| Width | 1000mm |
| Power Consumption | 2.2 kW |
| Max Width of Cut | 450 mm |
| Min Width of Cut | 12 mm |
| Paper Core Inside Diameter | Available in 3 inch, 6 inch |
| Paper Core Thickness | 12 mm |
| Round Blade Diameter | 150 mm |
| Motor Type | AC Motor |



► Details :

- **Automatic core cutting machine** has carved a strong reputation in the industry of **Manufacturing, Exporting and Service Providing of Packaging Machine and Material**. Our range of products includes **Tape Cutting Machine, Slitter Rewinder Machine, Coating Machine, Paper Core Cutter Machine, Web Aligner Machine, Wrapping Machine, Shaft Slicer Machine** and many more. We have vowed to deal with only a select group of vendors who are made eligible on the basis of their past track record, quality control, and dependability. Our offered machines are well appreciated in the market for superior strength, high productivity, and robust construction aspects.

1500mm Automatic paper core cutting machine



► **Specifications**

| Machine Model | HIROBA - 1500mm |
|----------------------------|-----------------------------|
| Voltage | 220/415 V |
| Motor Power | 1/2 HP |
| Frequency | 50-60 Hz |
| Brand | Hiroba Machines |
| Width | 1000mm |
| Power Consumption | 2.2 kW |
| Max Width of Cut | 450 mm |
| Min Width of Cut | 12 mm |
| Paper Core Inside Diameter | Available in 3 inch, 6 inch |
| Paper Core Thickness | 12 mm |
| Round Blade Diameter | 150 mm |
| Motor Type | AC Motor |

► **Details :**

- **Automatic core cutting machine** has carved a strong reputation in the industry of **Manufacturing, Exporting and Service Providing of Packaging Machine and Material**. Our range of products includes **Tape Cutting Machine, Slitter Rewinder Machine, Coating Machine, Paper Core Cutter Machine, Web Aligner Machine, Wrapping Machine, Shaft Slicer Machine** and many more. We have vowed to deal with only a select group of vendors who are made eligible on the basis of their past track record, quality control, and dependability. Our offered machines are well appreciated in the market for superior strength, high productivity, and robust construction aspects.

300mm thermal paper rewinding machine

HIROBA[®]

► Specifications

- Sturdy Frame
- Excellent Output
- Fully Automatic Operations
- Noise Less Drive
- PLC Drive (Germany) Touch Screen Control Panel
- Rotary Cutters
- Huge Production
- Nip Roller with Pneumatic Cylinders
- Finest Cutting

► Details :

The most automatic Thermal Paper/ATM/Cash Register Paper/Lottery slitting machine in China. Our Thermal Paper Slitting Machine is a fully automatic slitting and packaging line for producing the rolls of Thermal Paper, Fax Paper, Cash Register Paper, POS Paper, Computer Bill, Medical Record Paper, ATM Receipt, Lottery and so on.



- Cutting dividing from single rack on machine one cutting rake part of standard machine equipment (Extra rake optional)
- Manual Cutting system
- Control box –Made from CRC Sheet & MS angle section
- Slide travel on bearing
- Core gripping by internal diameter / outer diameter
- Cutting Measuring by slide stopper
- 1HP AC motor
- Reversing switch

▶ **Details :**

We manufacture PVC Tape Slicer Machine equipping with advanced controls and innovative structure design the machine meets the variable requirements of clients from diverse industries. The machine is designed for long-lasting heavy-duty process, particularly for cutting in different sizes. The machine is tested for efficiency.



HIROBA[®]

500mm thermal paper rewinding machine

► Specifications

| | |
|-------------------|----------------------|
| Dimension | 1800*1200*1500 mm |
| Usage/Application | Paper Slitting |
| Model | AI-ASR |
| Brand | Hiroba Machines |
| Automation Grade | Automatic |
| Capacity | 150 Meter Per Minute |
| Material | MS |
| Voltage | 220 V |
| Weight | 1100 Kg (Approx.) |
| Frequency | 50 Hz |

► Details :

We are offering Automatic Thermal Paper Roll Slitting Machine to the clients. This product is widely used for shearing process that cuts large roll of material into narrower ones. Manufactured by our team of seasoned professionals using superior quality components and latest machine, offered range is strictly tested at our high end production unit.

Box Board Cutting Machine

HIROBA®

► Specifications

- Type: Semi-Automatic, Paper Material: Duplex
- Size: 42", 52", 62"
- Cutting Size: 20"/80"
- Voltage: 3HP power

► Details :

We are a Corrugated Sheet Cutting Machine manufacturer in INDIA. Aiming at maximum level of client-satisfaction, we are offering the **Corrugated Sheet Cutting Machine** which is manufactured strictly as per the specifications of our clients. These machines are highly reliable for longer service life and gives an excellent performance. We tested these machines with the help of our diligent quality auditors in order to ensure their flawlessness and greater operational efficiency.

Suitable for cutting reel into sheets and cutting 2 ply corrugated liners (Can be synchronized with corrugation either electrically/mechanically). The machine is fitted with PIV gear box for changing the cutting lengths, variable speed pulley for increasing and decreasing the speed of the machine and a conveyer for traveling of sheets.



Masking Tape Slicer Machine



► Specifications

| | |
|--------------------------|-------------------------|
| Machine Model | HIROBA - 350mm |
| Cutting diameter | 350mm |
| Cutting speed | 35cuts/min |
| Cutting precision | ±0.05mm |
| Max. length of cut | 1600mm |
| Paper core I.D. | 32-76.2mm |
| Cutting width | 3-1600mm |
| Blade diameter | 150-350mm |
| Blade speed | 360-1800rpm |
| Weight | 1150kg |
| Machine dimension(L*W*H) | 3100mm*1500mm*1700mm |
| Power source | 380V 50HZ 3PHASE |
| Air source | 5KG (prepared by user) |

► Details :

This machine is suitable for cutting various materials such as PVC, OPP, PE, Crepe paper, Double-side tape etc.

1. Touch screen control panel.
2. Control panel provides major functions: material and blade running speed, width counter, number of cuts counter (LED touch screen operation).
3. Cutting width setting up controlled by servo motor adjustable equipped with ball screw to secure accurate size.
4. PLC programmable control.
5. Two axes are simultaneously cut and equipped with an automatic flip system, which greatly improves work efficiency.

CORE LOADING MACHINE


► Specifications

| Machine Model | HIROBA - 500mm | |
|--------------------|---------------------|---------------------|
| Specification | 1.3M | 1.6M |
| Working width | 1300 mm | 1600 mm |
| I.D. Of paper core | 76.2mm | 76.2mm |
| Air pressure | 5kg/cm ² | 5kg/cm ² |



► Details :

1. Suitable for automatic unloading finished tapes and loading paper cores.
2. With easy operation, the operator only needs to put the paper cores into loading door and then press the button for swift loading paper cores.
3. Pneumatic operation control is adopted to ensure high efficiency.



2 shaft 300 mm mini bopp tape slitter machine

HIROBA[®]

► Specifications

- DC motor to control the rotate of the shafts.
- Machine speed can be adjusted according to different type material.
- Machine with length counter, you can set the required length. Very high precision.
- You can stop the machine in any time by E-Stop button.
- Rewinding shaft are driven by DC motor, can change speed very well.
- Length counter on operate panel, that makes set length very accurate.
- Max unwind width 300 mm, Max unwind diameter 350 mm
- Max. rewind diameter 250 mm, Min. slitting width 12 mm.
- I.D of paper core 3"
- Slitting with razor knife/air knife

► Details :

This Mini slitter rewinder machine is suitable for slitting and rewinding kinds of adhesive tapes rolls from wide rolls into smaller rolls as requested. Such as the BOPP Tape, masking tape, double sides tape etc.





► **Details :**

This Mini slitter rewinder machine is suitable for slitting and rewinding kinds of adhesive tapes rolls from wide rolls into smaller rolls as requested. Such as the BOPP Tape, masking tape, double sides tape etc.

► **Specifications**

- DC motor to control the rotate of the shafts.
- Machine speed can be adjusted according to different type material.
- Machine with length counter, you can set the required length. Very high precision.
- You can stop the machine in any time by E-Stop button.
- Rewinding shaft are driven by DC motor, can change speed very well.
- Length counter on operate panel, that makes set length very accurate.
- Max unwind width 300 mm, Max unwind diameter 350 mm
- Max. rewind diameter 250 mm, Min. slitting width 12 mm.
- I.D of paper core 3"
- Slitting with razor knife/air knife


Aluminium Core Loaders With Moulds & Shafts

► Specifications

| Machine Model | HIROBA - Shaft |
|--------------------------|----------------|
| Model Number: | Mold |
| Shaping Mode: | Punching Mold |
| Product Material: | Aluminum |
| Product: | aluminum mold |
| size: | 1300mm/1600mm |

► Details :

- Paper Core Loading and Unloading Machine is designed for automatic loading and unloading of paper cores from the rewinding shaft.
- Convenient to operate. The operator only has to place the paper cores onto the loader and then activate the air switch to initiate automatic loading of paper cores.
- Air-driven machine provides fast and highly efficient operations



About Us

GET IN TOUCH

SWASTIK GROUP OF COMPANIES is an emerging company that provides optimal solution to all the customers in providing **Stretch Film Making Machines, Rewinding Machines, Granule Making Machines, Air Compressors, and Cooling Towers.**

**58 & 59 SARASWATHI NAGAR,
VADAPERUMBAKKAM
CHENNAI- 600 060.
+91 7695910028 / +91 8610596993
info@shriswastikmactech.com**



What We're All About

SWASTIK GROUP OF COMPANIES is an emerging company that provides optimal solution to all the customers in providing **Stretch Film Making Machines, Rewinding Machines, Granule Making Machines, Air Compressors, and Cooling Towers.**

Our Vision

We have a team of dedicated professionals with extensive experience in these fields for more than a decade. we are the worldwide promoters for these products to Afrika, Kenya, Vietnam, Saudi and India.

Who We Are

Engineering Services:

Our Engineering team offers comprehensive solution to the client right from design to delivery. we engage in manufacturing of all Engineering components as well.

Consulting Services:

The managing team of our company focusses in satisfying the client requirements and always adhered to deliver the product in time.

SHRI SWASTIK GROUP OF

+91 76959 10028 / +91 86105 96993 / +91 44 4551 1556

Info@shriswastikmactech.com



14

MORE SERVICES

155

TARGETED INDUSTRY

12

TECHNICAL SUPPORT

434

SATISFIED CLIENTS



SHRI SWASTIK GROUP OF COMPANIES is an emerging company that provides optimal solution to all the customers.

Important Links

- HOME
- ABOUT US
- TESTIMONIALS

User's Links

- PRIVACY POLICY
- ENQUIRY
- CONTACT US

GET IN TOUCH

58 & 59 SARA SWATHI NAGAR,
VADAPERUMBAKKAM
CHENNAI- 600 060

+91 7695910028 / +91 8610596993

info@shriswastikmactech.com

